

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	253	((network near3 (management monitor\$3)) same (representation and (status or condition)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:44
L2	108	((network near3 (management monitor\$3)) with (representation and (status or condition)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 14:54
L3	30	2 and 709/223.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 14:55
L4	12690	simulat\$4 near5 (network frame connect\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:12
L5	16	4 and 2	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L6	29	4 and 1	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L7	13	6 not 5	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L8	14608	simulat\$4 near5 (network frame connect\$4 pin\$1 plug\$4 connector\$1 grid\$1 jack\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:19
L9	29	1 and 4	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:19
L10	29	1 and 8	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:44

S69	3	Chaudhry.in. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 16:58
S70	1	Chaudhry.in. and "345"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 16:59
S71	109	(network near6 (web or website)) and 345/738.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S72	573	java adj servlet	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S73	38	(java adj servlet) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S74	368	(switch near3 board) with pin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:26
S75	41045	matrix near4 (block\$1 section part\$1 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:02
S76	9	((switch near3 board) with pin\$1) with (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:53
S77	9	((switch near3 board) with pin\$1) same (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:53
S78	19	((switch near3 board) with pin\$1) and (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:54
S79	10	((switch near3 board) with pin\$1) and (matrix near4 (block\$1 section part\$1 frame\$1))) not (((switch near3 board) with pin\$1) same (matrix near4 (block\$1 section part\$1 frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:54

S80	604	(switch near5 board) with pin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:57
S81	9	((switch near5 board) with pin\$1) with (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S82	9	((switch near5 board) with pin\$1) same (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S83	22	((switch near5 board) with pin\$1) and (matrix near4 (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S84	13	((switch near5 board) with pin\$1) and (matrix near4 (block\$1 section part\$1 frame\$1))) not (((switch near5 board) with pin\$1) same (matrix near4 (block\$1 section part\$1 frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S85	83118	matrix with (block\$1 section part\$1 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:59
S86	10	((switch near5 board) with pin\$1) with (matrix with (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:00
S87	36	((switch near5 board) with pin\$1) and (matrix with (block\$1 section part\$1 frame\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:00
S88	14	((switch near5 board) with pin\$1) and (matrix with (block\$1 section part\$1 frame\$1))) not (((switch near5 board) with pin\$1) and (matrix near4 (block\$1 section part\$1 frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:01

S89	7	((switch near3 board) with pin\$1) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:01
S90	1265	(matrix near4 (block\$1 section part\$1 frame\$1)) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:03
S91	12	((matrix near4 (block\$1 section part\$1 frame\$1)) and (user near2 interface)) and ((switch near5 board) and pin\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:04
S92	3	"5937202".URPN.	USPAT	OR	OFF	2004/10/24 19:20
S93	7	("3916383" "4727503" "4933936" "4969469" "5119323" "5179714" "5291422").PN.	USPAT	OR	OFF	2004/10/24 19:21
S94	3599	(switch near3 board) with (pin\$1 phone connect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:30
S95	2358	(switch near3 board) near5 (pin\$1 phone connect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S96	0	((switch near3 board) near5 (pin\$1 phone connect\$4)) and "771"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S97	0	((switch near3 board) near5 (pin\$1 phone connect\$4)) and "772"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S98	0	((switch near3 board) near5 (pin\$1 phone connect\$4)) and 345/771.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S99	0	"771"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28

S10 0	22561	"711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S10 1	7	((switch near3 board) near5 (pin\$1 phone connect\$4)) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S10 2	13	((switch near3 board) with (pin\$1 phone connect\$4)) and "711"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:30
S10 3	37694	(network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:44
S10 4	33189	(user near2 interface) near6 (control\$4 monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:37
S10 5	18	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with ((user near2 interface) near6 (control\$4 monitor\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:40
S10 6	2007	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) and ((user near2 interface) near6 (control\$4 monitor\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:40
S10 7	5202	(phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:41
S10 8	452	((phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) and ((user near2 interface) near6 (control\$4 monitor\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:41
S10 9	3	((phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with ((user near2 interface) near6 (control\$4 monitor\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:42

S11 0	1684	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) same (jump\$4 or (switch\$3 near3 card) or pin\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:46
S11 1	4	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with (jump\$4 or (switch\$3 near3 card) or pin\$1)) same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:48
S11 2	166	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with (jump\$4 or (switch\$3 near3 card) or pin\$1)) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:31
S11 3	2	("5606664").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:31
S11 4	1	((("5606664").PN.) and (available or (actual\$4 near4 (image\$1 or picture or graphic)) or (line connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:51
S11 5	77	"5606664".URPN.	USPAT	OR	OFF	2004/10/26 19:37
S11 6	16	("4055808" "4347498" "4545013" "4578773" "4644532" "4750136" "4827411" "4937743" "4937825" "4943998" "5049873" "5051987" "5101348" "5136690" "5138615" "5202985").PN.	USPAT	OR	OFF	2004/10/26 19:37
S11 7	1	((("5606664").PN.) and (available or (actual\$4 near4 (image\$1 or picture or graphic)) or (line connection))) and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:04
S11 8	7316	(telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:35
S11 9	1296	((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with (jump\$4 or (switch\$3 near3 card) or pin\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09

S12 0	1	((telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5))) same (((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with (jump\$4 or (switch\$3 near3 card) or pin\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09
S12 1	19	((telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5))) and (((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1))) with (jump\$4 or (switch\$3 near3 card) or pin\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09
S12 2	278	((visual with frame\$1) and (representation and (status or condition))) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:13
S12 3	2274	(((((visual or physical) same (frame\$1 or device\$1 or (network near3 system\$1))) and (representation and (status or condition))) and "345"/\$.ccls.) not (((visual or physical) near3 frame\$1) and (representation and (status or condition))) and "345"/\$.ccls.) and (view\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:14
S12 4	26531	((visual or physical or actual) with (frame\$1 or device\$1 or (network near5 system\$1))) and (representation and (status or condition))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:15
S12 5	151	((((visual or physical or actual) with (frame\$1 or device\$1 or (network near5 system\$1))) and (representation and (status or condition))) and ((telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:15
S12 6	151	((((visual or physical or actual) with (frame\$1 or device\$1 or (network near5 system\$1))) and (representation and (status or condition))) and ((telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:16

S12 7	151	(((((visual or physical or actual) with (frame\$1 or device\$1 or (network near5 system\$1)))) and (representation and (status or condition))) and ((telephone phone) near5 (switch\$4 near3 (board frame control\$4 plug\$5)))) not (((network phone) near5 (connect\$4 near5 (line\$1 port\$1 pin\$1)))) with (jump\$4 or (switch\$3 near3 card) or pin\$1)) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:16
S12 8	15661	(remot\$4 near5 control\$4) near5 (phone telephone network component\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S12 9	480834	(switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S13 0	215	((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 21:59
S13 1	108	((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) and (pin frame block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:00
S13 2	11	((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) same (pin frame block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:02
S13 3	97	((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) and (pin frame block)) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) same (pin frame block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:02

S13 4	7	((((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) and (pin frame block)) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) same (pin frame block))) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:03
S13 5	90	((((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) and (pin frame block)) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) same (pin frame block))) not (((((((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) and (pin frame block)) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))) same (pin frame block))) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:04
S13 6	25489	(remot\$4 near5 control\$4) with (phone telephone network component\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S13 7	796056	(switch\$3 chang\$3 swap\$4 place) with (line\$1 hub connection jack\$1 plug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12

S13 8	850	((remot\$4 near5 control\$4) with (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) with (line\$1 hub connection jack\$1 plug\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S13 9	635	((((remot\$4 near5 control\$4) with (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) with (line\$1 hub connection jack\$1 plug\$4))) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S14 0	55	(((((remot\$4 near5 control\$4) with (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) with (line\$1 hub connection jack\$1 plug\$4))) not (((remot\$4 near5 control\$4) near5 (phone telephone network component\$1)) with ((switch\$3 chang\$3 swap\$4 place) near5 (line\$1 hub connection jack\$1 plug\$4)))) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S14 1	2	("6310619").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 19:55
S14 2	2	("5999179").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 21:43
S14 3	2	("5761432" "5848243").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/11 21:45
S14 4	4	(switch near4 (board or pin\$1)) with ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:12
S14 5	24	(switch near4 (board or pin\$1)) same ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14

S14 6	20	S145 not S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:13
S14 7	1158	((board or pin\$1)) same ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14
S14 8	445	((board or pin\$1)) with ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14
S14 9	466	(network near4 monitor\$4) with (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:16
S15 0	0	S149 same S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:15
S15 1	2	S149 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:15
S15 2	29519	(network near4 monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:16
S15 3	2	S152 with S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:17
S15 4	2	S152 same S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:17
S15 5	48	S152 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:18

S15 6	46	S155 not S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:18
S15 7	2	("6236395").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:58